



Table of Contents









Designing Solutions with LEGO® Programming Blocks

The WeDo 2.0 projects will take you and your pupils on a journey of using programming concepts to activate models and to create innovative solutions. These programming concepts have been organised by function in the Design Library.

These instructions are provided to inspire your pupils as they look for solutions. All of these functions can be used as described, or modified to suit a more specific need.







Introduction to a WeDo 2.0 Programming String

When your pupils want to bring their models to life, they will drag and drop blocks onto the Programming Canvas. As they do this, they will be creating programming strings. They can create multiple programming strings on the canvas, but each of the strings will need to begin with a Start Block.

Here are some important terms to know:

1. Start Block

A Start Block is required in order to begin a programming string in the WeDo 2.0 software. 'Execute' means to start a series of actions until they are completed.


2. Programming Block

Programming blocks are used in the WeDo 2.0 software to build a programming string. These blocks with symbols are used instead of text-based code.

3. Programming String

A programming string is a sequence of programming blocks.

The last block in the programming string marks the end of the program.



Different Types of Programming String

When your pupils explore programming for the first time, they will probably line up as many blocks as possible on the Programming Canvas. To carry out an idea that they have in mind, they will either arrange their blocks in a flow so that they are executed one after the other, or executed simultaneously.

Here are two important terms to know:

1. Linear Sequence

A linear sequence is when blocks are placed one after the other in a linear fashion. The LEGO® Education WeDo 2.0 software will then execute one action after the other in the order in which the blocks have been placed.

2. Parallel Sequence


A parallel sequence should be used when the pupils want to perform two or more actions simultaneously. In this case, the actions should be placed on different programming strings and executed at the same time using the various techniques that are available in the WeDo 2.0 software.

Suggestion

Tell your pupils to plan their programs in advance. This will help them when they are deciding the order in which the program actions should occur. They can use the Documentation tool to write the actions that they wish to program, step-by-step. They can also use a mind map of their own to help them to decide whether they should use a linear sequence or a parallel sequence.







Programming Principles

In developing programming strings as part of their solutions, your pupils will organise a series of actions and structures that will make their models come to life.

Here are some of the simplest programming principles that your pupils can use:

1. Output

Output is something that is controlled by the program that the pupils are writing. Examples of outputs for WeDo 2.0 are sounds, lights, display and turning motors on and off.

2. Input

Input is information that a computer or device receives. It can be inputted through the use of sensors in the form of a numeric or text value. For example, a sensor that detects or measures something (such as distance) converts that value into a digital input signal so that it can be used in a program.

3. Events (Wait For)

The pupils can tell their program to wait for something to happen before continuing to execute the sequence of actions. Programs can wait for a specific length of time or wait for something to be detected by a sensor.

4. Loop

The pupils can program actions to be repeated either forever or for a specific length of time.


5. Functions

Functions are a group of actions that are to be used together in specific situations.

For example, the group of blocks that can be used to make a light blink would together be called, 'the blink function'.

6. Conditions

Conditions are used by the pupils in order to program actions that are to be executed only under certain circumstances. Creating conditions within a program means that some part of the program will never be executed if the condition is never met. For example, if the Tilt Sensor is tilted left, the motor will start, and if the sensor is tilted right, the motor will stop; if the Tilt Sensor never tilts left, the motor will never start and if it never tilts right, then the motor will never stop.



What is Pseudocode?

Programming strings are designed for computers to understand and pseudocode is a way to explain a program so that people can understand it. Good pseudocode respects program structures but uses common words.

In WeDo 2.0, pseudocode can also be used to describe each step of a sequence. There are no specific rules to follow when you are writing pseudocode, but you will see that using a consistent structure will help you and your pupils while using it.

Example One

- 1. Start program
- 2. Start motor at power 1
- 3. Wait for 1 second
- 4. Stop motor

Example Two

- 1. Start program when 'A' is pressed
- 2. Wait for Tilt Sensor to detect Shake
- 3. Start motor this way
- 4. Repeat steps 2 and 3 forever


Example Three

- 1. Start program when 'A' is pressed
- 2. Wait for Tilt Sensor to detect No Tilt
- 3. Stop motor
- 4. Turn LED on colour 9 (red)
- 5. Repeat steps 2 and 4 forever





Description of Flow Blocks




Start Block

When used, it is always placed at the beginning of a programming string.

Press on it to start the programming string that you have written.


Pseudocode: Start program



Send Message

Sends a message to the Programming
Canvas. Every Start On Message Block
with the same message will be activated.
The message can be in the form of text or
numbers.

Pseudocode: Send message 'abc'



Start On Message Block

Always placed at the beginning of a programming string. It will wait for the correct message and then start the programming string that you have written.

Pseudocode: Start program when receiving message 'abc'



Wait For

Use this block to tell the program to wait for something to happen. It can wait for a set length of time or for input from a sensor. This block always requires input in order to work properly.

Pseudocode: Wait for ...






Repeat Block

Use this block to repeat actions. Blocks that are placed inside the Repeat Block will be looped. This can also be called the 'loop block'. The loop can be repeated forever, for a certain length of time or until something happens.

Pseudocode: Repeat step ... forever




Start On Key Press Block

When used, it is always placed at the beginning of a programming string. Press on it, or on the correct letter on the keyboard to start the programming string that you have written. All of the programming strings with the same letter will start at the same time. To change the letter of activation, long press on the block in order to access the keyboard.

Pseudocode: Start program on tap 'A'



Description of Output Motor Blocks




Motor This Way Block

Sets the motor to turn the axle clockwise and starts the motor.

Tap on the block to quickly change the direction of the rotation.


Pseudocode: Start motor this way



Motor Power Block

Sets the motor power to the specified level and starts the motor. The level can be set with a numeric input from 0 to 10.

Pseudocode: Start motor at power 10



Motor That Way Block

Sets the motor to turn the axle anticlockwise and starts the motor. Tap on the block to quickly change the direction of the rotation.

Pseudocode: Start motor that way




Motor On For Block

Starts the motor for a chosen length of time that is specified in seconds. The length of time can be set with a numeric input, using whole or decimal numbers.

Pseudocode: Start motor for 2 seconds





Motor Off Block

Stops any movement of the motor.

Pseudocode: Stop motor



Description of Light and Sound Blocks




Light Block

Lights up the LED on the Smarthub in a specific colour. The colour can be changed with a numeric input between 0 and 10.

Pseudocode: Turn LED on to colour 9 (red)
Pseudocode: Turn LED off to colour 0

(no colour)



Play Sound

Plays a sound. The sound is chosen from a list that is available within the software. You can choose a sound using a numeric input. Choose sound number 0 to play a sound that you have recorded yourself.

Pseudocode: Play sound number 1



Description of Output Display Blocks



Display Background

Use this block to display an image that is chosen from a list that is available within the software. You can set an image using a numeric input.

Pseudocode: Show image 1 on display



Add to Display

Adds a quantity to the number that is currently shown on the display. Enter the number that you wish to add. Tap on the block to change the mathematical operation.


Pseudocode: Add ... to the number on display



Display Block

Use this block to open the display area on the software screen. Numbers or text will appear in the display area.

Pseudocode: Show ... on display




Subtract from Display

Subtracts a quantity from the number that is shown on the display. Enter the number that you wish to subtract. Tap on the block to change the mathematical operation.

Pseudocode: Subtract ... from the number on display






Multiply Display

Multiplies the number that is shown on the display by a specified number. Enter the number that you wish to multiply by. Tap on the block to change the mathematical operation.

Pseudocode: Multiply by ... the number on display



Display Closed

Use this block to close the display area on the software screen. Tap on the block to change the size.


Pseudocode: Close the display



Divide Display

Divides the number that is shown on the display by another number. Enter the that number you wish to divide by. Tap on the block to change the mathematical operation.

Pseudocode: Divide by ... the number on display




Display Full Size

Use this block to set the display area to full size. Tap on the block to change the size.

Pseudocode: Change the size of the display to maximum



Description of Output Display Blocks




Display Medium Size

Use this block to set the display area to medium size. Tap on the block to change the size.

Pseudocode: Change the size of the display to medium




Description of Sensor Change Inputs




Any Distance Change

Inputs the Motion Sensor mode 'Any Distance Change' to a block.




Tilt Down

Inputs the Tilt Sensor mode 'Tilt Down' to a block.




Distance Change Closer

Inputs the Motion Sensor mode 'decreasing distance between the sensor and an object' to a block.



Tilt Up

Inputs the Tilt Sensor mode 'Tilt Up' to a block.




Distance Change Further

Inputs the Motion Sensor mode 'increasing distance between the sensor and an object' to a block.




Tilt Left

Inputs the Tilt Sensor mode 'Tilt Left' to a block.



Shake

Inputs the Tilt Sensor mode 'Shake' to a block.




Tilt Right

Inputs the Tilt Sensor mode 'Tilt Right' to a block.




Description of Sensor Change Inputs



Tilt Sensor No Tilt

Inputs the Tilt Sensor mode 'No Tilt' (or horizontal position) to a block.




Sound Sensor Change

Inputs the Sound Sensor mode (from the device) 'sound level change' to a block.




Description of Numeric and Text Inputs



Tilt Sensor Input

Inputs the numeric value that is generated by the Tilt Sensor (0, 3, 5, 7 or 9) to a block.




Text Input

Inputs a text value to a block.




Distance Sensor Input

Inputs the value that is detected by the Motion Sensor (from 0 to 10) to a block.




Display Input

Inputs the numeric value that is shown on the display area to a block.




Sound Sensor Input

Inputs the value that is detected by the Sound Sensor (from 0 to 10) to a block.



Random Input


Inputs a random value to a block. The range of numbers is determined by the block to which it is attached.



Number Input

Inputs a numeric value to a block.

Description of the Documenting Block



Bubble

Use the bubble to insert comments into your program. This is not a programming block.

Planning Your Work with Flowcharts


Flowcharts are an excellent tool for practising Abstraction and they can be a great way to help your pupils to plan and structure their solutions.

A simple flowchart can be explored by pupils at any grade level, but more complex charts should be reserved for pupils in the higher elementary grades.

Some conventions exist in regard to flowcharts, but you should focus on implementing these conventions only when your pupils completely understand the concept of mapping their ideas.

These conventions are:

- Use a circle (or oval) to represent the beginning and end of the flow
- Use arrows to indicate the flow direction
- Use a rectangle to indicate an input or output
- Use a diamond to indicate conditions









Designing Solutions with LEGO® Bricks

The WeDo 2.0 projects will take you and your pupils on a journey of using mechanisms to bring models to life. These mechanisms have been organised by function in the Design Library.

These instructions are provided in order to inspire your pupils as they look for solutions. All of these functions use what are called 'simple machines' that you can explore with your pupils as they develop their ideas.









Name of the Part: Gear

A gear is a toothed wheel that rotates and makes another part move. You can find gear wheels on your bike, they are linked together with a chain. A 'gear train' is created when gears are placed directly alongside each other.


Types of Gear Trains

Gear up: a large gear drives a small gear in order to produce more rotations.

Gear down: a small gear drives a larger gear in order to produce fewer rotations.

Gear trains are used in these Design Library base models:

Walk, Spin, Turn




Name of the Part: Bevel Gear

A bevel gear is an angled gear that can be placed perpendicular to another gear in order to change the axis of the rotation.

Bevel gears are used in these Design Library base models:

Flex, Wobble, Push, Turn



Name of the Part: Rack

A rack is a flat element with teeth that engage a circular gear, which is often called a 'pinion'. This pair of gears changes ordinary rotational motion into linear motion.

A rack is used in this Design Library base model:

Push



Name of the Part: Worm Gear

A worm is a continuous spiral groove like a screw, which meshes with a gear. The worm is designed to turn a normal gear, but the gear cannot turn the worm, therefore, it functions as a brake.

A worm gear is used in this Design Library base model:

Revolve





Name of Part: Beam

A beam that is attached to a rotating part will become a piston. A piston is a moving component of a machine, which transfers the energy that is created by the motor into an up/down or forwards/backwards motion. The piston can push, pull or drive other mechanical elements of the same machine.

A beam is used in this Design Library base model:

Crank




Name of the Part: Wheels

A wheel is a circular element that rotates on an axis in order to produce propelled movement.

Wheels are used in these Design Library base models:

Wobble, Drive, Steer






Name of the Part: Pulley

The pulley is a wheel with a groove in it where the belt rests. The belt is like a small rubber band that connects to a part of the model that is rotating, thereby transferring the rotation to a different part of the model.

Pulley up: a large pulley drives a small pulley in order to produce more rotations.

Pulley down: a small pulley drives a large pulley in order to produce fewer rotations.

Pulley twist: used in order to make shafts that are parallel, but that rotate in opposite directions.




Pulleys are used in these Design Library base models:

Reel, Lift, Drive, Sweep, Revolve, Grab

Important

Using a pulley in a mechanism will prevent the model from breaking when it meets resistance as the belt will slip in the pulley.





Electronic Parts

Smarthub

The Smarthub acts as a wireless connector among your device and the other electronic parts, using Bluetooth Low Energy. It receives programming strings from the device and executes them.

The Smarthub has important features:

- Two ports to connect sensors or motors
- One LED
- Power button

The Smarthub uses AA batteries or the supplementary Rechargeable Battery as a power source.

The Bluetooth connection procedure between the Smarthub and your device is explained in the WeDo 2.0 Software.

The Smarthub will use color patterns to signal messages:

- Flashing white light: it is waiting for a Bluetooth connection.
- Blue light: a Bluetooth connection is established.
- Flashing orange light: the power provided to the motor is at its limit.






Electronic Parts

Smarthub Rechargeable Battery

(Supplementary Item)

Here are some guidelines for the Smarthub Rechargeable Battery:


- To have optimal hours of play without the adaptor connected, fully charge the battery first.
- There is no special demand for a charging pattern.
- Preferably, store the battery in a cool place.
- If the battery is installed in the Smarthub and not used from one to two months, recharge it again after this period.
- Do not let the battery charge for an extended period of time.



Medium Motor

A motor is what makes other things move. This Medium Motor uses electricity to make an axle rotate.

The motor can be started in both directions, can be stopped, and can turn at different speeds and for a specific amount of time (specified in seconds).





Electronic Parts: Sensors

Tilt Sensor

To interact with this sensor, tilt the part in different directions by following the arrows. This sensor detects changes within six different positions:

- Tilt This Way
- Tilt That Way
- Tilt Up
- Tilt Down
- No Tilt
- Shake


Make sure that your program displays the icon that corresponds to the position that you are trying to detect.



This sensor detects changes in distance from an object within its range in three different ways:

- Object moving closer
- Object moving farther away
- Object changing position

Make sure that your program displays the icon that corresponds to the position that you are trying to detect.





Part Names and Primary Functions

As pupils use the bricks, you may want to discuss proper vocabulary as well as functions for each part in the set.

- Some of them are structural parts that hold your model together.
- Some parts are connectors that link elements to each other.
- Some parts are used to produce movement.


Important

Remember that these categories are guidelines.

Some parts have many functions and can be used in many ways.

Suggestion

Use the cardboard box to help you sort the parts in the WeDo 2.0 storage box. This will help you and your pupils view and count the parts.





Structural Parts



2x - Angular plate, 1x2/2x2, white. No.6117940



6x - Plate, 1x2, white. No.302301



4x - Plate, 1x4, white. No.371001




4x - Plate, 1x6,



2x - Plate, 1x12, white. No.4514842




4x - Beam with plate, 2-modules, black. No.4144024




2x - Plate, 2x16, black. No.428226




4x - Roof brick, 1x2x2, gray. No.4515374




2x - Frame plate, 4x4, gray. No.4612621



4x - Tile, 1x8, gray. No.4211481



4x - Brick, 2x2, black. No.300326




1x - Bottom for turntable, 4x4, black. No.4517986




2x - Tile, 1x2, azure blue. No.4649741



6x - Brick, 1x2, azure blue. No.6092674



2x - Brick, 2x2, azure blue. No.4653970



2x - Brick, 1x4, azure blue. No.6036238




2x - Brick, 2x4, azure blue. No.4625629



2x - Curved plate, 1x4x2/3, azure blue. No.6097093



2x - Round plate, 4x4, azure blue. No.6102828



2x - Curved brick, 1x6, transparent light blue. No.6032418



4x - Roof brick, 1x2/45°, lime green. No.4537925



4x - Inverted roof brick, 1x3/25°, lime green. No.6138622



2x - Plate, 4x6/4, lime green. No.6116514



4x - Studded beam, 1x2, lime green. No.6132372




4x - Studded beam, 1x4, lime green. No.6132373



2x - Studded beam, 1x8, lime green. No.6132375



2x - Studded beam, 1x12, lime green. No.6132377



2x - Studded beam, 1x16, lime green. No.6132379




2x - Curved brick, 1x3, lime green. No.4537928




4x - Curved brick, 1x6, lime green. No.6139693



2x - Angular beam, 3x5-modules, bright green. No.6097397



2x - Beam, 7-modules, bright green. No.6097392



2x - Plate with holes, 2x8, bright green. No.6138494




4x - Roof brick, 1x2x2/3, bright orange. No.6024286



4x - Inverted roof brick, 1x2/45°, bright orange. No.6136455




4x - Roof brick, 1x3/25°, bright orange. No.6131583




4x - Brick, 2x4, bright orange. No.6100027



4x - Plate with holes, 2x4, bright orange. No.6132408



4x - Plate with holes, 2x6, bright orange. No.6132409





Connecting Parts



2x - Brick with stud on side, 1x1, white. No.4558952



2x - Angular block 1, 0°, white. No.4118981



4x - Bushing, 1-module, gray. No.4211622



2x - Bushing/axle extender, 2-module,



1x - Brick with 2 ball joints, 2x2, black. No.6092732

8x - Connector peg, with friction, 2-modules, black. No.4121715



1x - String, 50 cm, black. No.6123991



gray. No.4512360



gray. No.4211364




1x - Plate with hole, 2x3, gray. No.4211419



4x - Studded beam with crosshole, 1x2, dark gray. No.4210935



2x - Brick with 1 ball joint, 2x2, dark gray. No.4497253



2x - Chain, 16-modules, dark gray. No.4516456



4x - Brick with ball bearing, 2x2, transparent light blue. No.6045980



2x - Angular block 3, 157,5°, azure blue. No.6133917



2x - Angular block 4, 135°, lime green. No.6097773



2x - Tube, 2-modules, bright green. No.6097400




4x - Connector peg, without friction/axle, 1-module/1-module, beige. No.4666579



4x - Ball with crosshole, bright orange. No.6071608



4x - Bushing/pulley, ½-module, yellow. No.4239601






Movement Parts



6x - Hub/pulley, 18x14 mm, white. No.6092256



4x - Gear rack, 10-tooth, white. No.4250465



1x - Gear block, transparent. No.4142824



4x - Round brick, 2x2, transparent light blue. No.4178398



6x - Hub/pulley, 24x4 mm, transparent light blue. No.6096296




1x - Worm gear, gray. No.4211510



4x - Gear, 8-tooth, dark gray. No.6012451



2x - Gear, 24-tooth, dark gray. No.6133119





4x - Tire, 30.4x14 mm, black. No.4619323



2x - Tire, 37x18 mm, black. No.4506553



2x - Rubber beam with crossholes, 2-modules, black. No.4198367



2x - Double bevel gear, 12-tooth, black. No.4177431



2x - Double bevel gear, 20-tooth, black. No.6093977



2x - Tire, 30.4x4 mm, black. No.6028041








4x - Axle, 2-modules, red. No.4142865



2x - Connector peg with axle, 3-modules, black. No.6089119



2x - Axle, 3-modules,






2x - Axle with stop, 4-modules, dark gray. No.6083620



2x - Axle, 6-modules, black. No.370626



2x - Axle, 7-modules, gray. No.4211805



2x - Axle, 10-modules, black. No.373726



2x - Bevel gear, 20-tooth, beige. No.6031962




2x - Belt, 33 mm, yellow. No.4544151



2x - Snowboard, bright orange. No.6105957



2x - Belt, 24 mm, red. No.4544143





Decorative Parts



2x - Antenna, white. No.73737



2x - Round tile with eye, 1x1, white. No.6029156



2x - Round tile with eye, 2x2, white. No.6060734



2x - Round plate with 1 stud, 2x2, white. No.6093053



2x - Round tile with hole, 2x2, dark gray. No.6055313



4x - Round plate, 1x1, black. No.614126



6x - Skid plate, 2x2, black. No.4278359



2x - Round brick, 1x1, transparent green. No.3006848



2x - Grass, 1x1, bright green. No.6050929



2x - Round plate, 2x2, bright green. No.6138624



1x - Leaves, 2x2, bright green. No.4143562



2x - Round brick, 1x1, transparent yellow. No.3006844





2x - Round brick, 1x1, transparent red. No.3006841



1x - Flower, 2x2, red. No.6000020

Brick Separator







Electronic Parts




1x - Tilt Sensor, white. No.6109223



1x - Motion Sensor, white. No.6109228



1x - Medium Motor, white. No.6127110



1x - Smarthub, white. No.6096146

