

# LEGO® Education SPIKE™ Prime

## Python Programs Possible Solutions

LEGO® Education SPIKE™ Prime

# Help!

<https://education.lego.com/en-au/lessons/prime-invention-squad/help>



```

from spike import PrimeHub, App, ColorSensor
from spike.control import wait_for_seconds

hub = PrimeHub()
app = App()
color_sensor = ColorSensor('B')

# This is story #1: Kiki is going for a walk. She's outside and happy, until...
hub.left_button.wait_until_pressed()

color_sensor.wait_until_color('blue')
app.play_sound('Traffic')

color_sensor.wait_until_color('yellow')
app.play_sound('Ring Tone')

color_sensor.wait_until_color('green')
app.play_sound('Dog Bark 1')
app.play_sound('Dog Bark 1')

#This is story #2.
hub.right_button.wait_until_pressed()

color_sensor.wait_until_color('blue')
app.play_sound('Door Knock')

color_sensor.wait_until_color('yellow')
app.play_sound('Glass Breaking')

color_sensor.wait_until_color('green')
app.play_sound('Dog Bark 3')

```

LEGO® Education SPIKE™ Prime

# Hopper Race

<https://education.lego.com/en-au/lessons/prime-invention-squad/hopper-race>



```
from spike import PrimeHub, MotorPair
from spike.control import wait_for_seconds
```

```
hub = PrimeHub()
hop_motors = MotorPair('E', 'F')
```

```
hop_motors.set_default_speed(50)
```

```
hub.light_matrix.write('3')
wait_for_seconds(1)
```

```
hub.light_matrix.write('2')
wait_for_seconds(1)
```

```
hub.light_matrix.write('1')
wait_for_seconds(1)
```


Adjust this parameter to change the distance that your Hopper will move.

```
# -----v
hop_motors.move(10, 'seconds')
```

LEGO® Education SPIKE™ Prime

# Super Clean-Up

<https://education.lego.com/en-au/lessons/prime-invention-squad/super-cleanup>



```
from spike import ForceSensor, Motor

force_sensor = ForceSensor('E')
grabber_motor = Motor('A')


while True:
    force_sensor.wait_until_pressed()
    grabber_motor.set_stall_detection(False)
    grabber_motor.start(-75)

    force_sensor.wait_until_released()
    grabber_motor.set_stall_detection(True)
    grabber_motor.start(75)
```

LEGO® Education SPIKE™ Prime

# Broken

<https://education.lego.com/en-au/lessons/prime-invention-squad/broken>



```
from spike import PrimeHub, Motor
from spike.control import wait_for_seconds
hub = PrimeHub()
x_motor = Motor('A')
y_motor = Motor('C')
```

```
hub.left_button.wait_until_pressed()
x_motor.set_default_speed(-100)
x_motor.run_for_seconds(1.5)
wait_for_seconds(1)
```

```
# These lines should 'cut' a square.
x_motor.set_default_speed(100)
y_motor.set_default_speed(100)
x_motor.run_for_degrees(400)
y_motor.run_for_degrees(575)
x_motor.run_for_degrees(-400)
y_motor.run_for_degrees(-575)
```


```
hub.right_button.wait_until_pressed()
x_motor.set_default_speed(100)
x_motor.run_for_seconds(1.5)
```

```
wait_for_seconds(1)
# These lines should 'cut' a rectangle.
x_motor.run_for_degrees(-60)
x_motor.run_for_degrees(-400)
y_motor.run_for_degrees(-800)
x_motor.run_for_degrees(400)
y_motor.run_for_degrees(800)
```

LEGO® Education SPIKE™ Prime

# Design for Someone

<https://education.lego.com/en-au/lessons/prime-invention-squad/design-for-someone>



```
from spike import PrimeHub, Motor, ForceSensor
from spike.control import wait_for_seconds
```

```
hub = PrimeHub()
motor_a = Motor('A')
motor_e = Motor('E')
force_sensor = ForceSensor('B')
```

```
motor_a.set_default_speed(100)
motor_e.set_default_speed(-100)
motor_a.set_stall_detection(False)
motor_e.set_stall_detection(False)
motor_a.set_stop_action('hold')
motor_e.set_stop_action('hold')
```

```
motor_a.run_to_position(0)
hub.speaker.beep(60)
hub.speaker.beep(72)
```

```
# make the prosthesis grab on to someone's arm
motor_a.run_for_seconds(1)
motor_e.run_for_seconds(1)
```

```
while True:
    if hub.right_button.was_pressed():
        # make the prosthesis let go
        motor_a.run_to_position(0)
        motor_e.run_to_position(0)
        break

    if force_sensor.get_force_newton() > 5:
        hub.light_matrix.show_image('SQUARE')
    else:
        hub.light_matrix.off()

    wait_for_seconds(0.01)
```

LEGO® Education SPIKE™ Prime

# Place Your Order

<https://education.lego.com/en-au/lessons/prime-kickstart-a-business/place-your-order>



```
from spike import PrimeHub, App, ColorSensor, DistanceSensor, Motor
from spike.control import wait_for_seconds
```

```
hub = PrimeHub()
app = App()
distance_sensor = DistanceSensor('C')
color_sensor = ColorSensor('D')
arm_motor = Motor('A')
base_motor = Motor('F')
```

```
arm_motor.set_default_speed(50)
base_motor.set_default_speed(50)
```

```
arm_motor.run_to_position(350)
base_motor.run_to_position(350)
```

```
app.start_sound('Connect')
distance_sensor.light_up_all()
```

```
for x in range(10):
    hub.light_matrix.show_image('HEART')
    wait_for_seconds(0.5)
    hub.light_matrix.show_image('HEART_SMALL')
    wait_for_seconds(0.5)
```


```
hub.light_matrix.show_image('HEART')
```

```
while True:
    color_sensor.wait_until_color('violet')
    arm_motor.run_for_degrees(30)
    arm_motor.run_for_degrees(-60)
    arm_motor.run_for_degrees(60)
    arm_motor.run_for_degrees(-30)
    app.start_sound('Connect')
    hub.light_matrix.show_image('HEART')
```

LEGO® Education SPIKE™ Prime

# Out of Order

<https://education.lego.com/en-au/lessons/prime-kickstart-a-business/out-of-order>



```

from spike import PrimeHub, DistanceSensor, Motor, MotorPair
from spike.control import wait_for_seconds

hub = PrimeHub()
distance_sensor = DistanceSensor('B')
drive_motors = MotorPair('A', 'E')
small_wheel_motor = Motor('C')

small_wheel_motor.set_default_speed(100)
drive_motors.set_default_speed(50)

hub.left_button.wait_until_pressed()
#This is one way to debug the first program.
small_wheel_motor.run_to_position(0)
drive_motors.start()
# adjust the value here -----v
distance_sensor.wait_for_distance_closer_than(15, DistanceSensor.CM)
drive_motors.stop()

hub.right_button.wait_until_pressed()
#This is one way to debug the second program.
small_wheel_motor.run_to_position(0)
drive_motors.start()
# adjust the value here -----v
distance_sensor.wait_for_distance_closer_than(15, DistanceSensor.CM)
drive_motors.stop()
# adjust the value here -----v
small_wheel_motor.run_to_position(20)
wait_for_seconds(1)
drive_motors.move(-50, DistanceSensor.CM)
drive_motors.stop()
small_wheel_motor.run_to_position(0)
wait_for_seconds(1)
# adjust the value here
# -----v
drive_motors.move(50, DistanceSensor.CM)
drive_motors.stop()


```



LEGO® Education SPIKE™ Prime

# Track Your Parcels

<https://education.lego.com/en-au/lessons/prime-kickstart-a-business/track-your-packages>



```

from spike import PrimeHub, Motor
from spike.control import wait_for_seconds

hub = PrimeHub()
horizontal_motor = Motor('A')
vertical_motor = Motor('C')

horizontal_motor.set_default_speed(75)
vertical_motor.set_default_speed(75)

# This program will track your parcel on map #1.

hub.left_button.wait_until_pressed()
horizontal_motor.run_for_seconds(1)
wait_for_seconds(1)

vertical_motor.run_for_degrees(475)
horizontal_motor.run_for_degrees(-545)
vertical_motor.run_for_degrees(950)
horizontal_motor.run_for_degrees(550)
vertical_motor.run_for_degrees(380)

# run both motors at same time to move diagonally.
vertical_motor.start(speed=75)
horizontal_motor.run_for_degrees(-540, speed=50)
vertical_motor.stop()

vertical_motor.run_for_degrees(175)

```

LEGO® Education SPIKE™ Prime

# Keep it Safe

<https://education.lego.com/en-au/lessons/prime-kickstart-a-business/keep-it-safe>



```
from spike import PrimeHub, Motor, LightMatrix
from spike.control import wait_for_seconds, wait_until
from spike.operator import greater_than

hub = PrimeHub()
lock_motor = Motor('C')
dial_motor = Motor('B')
lock_motor.set_default_speed(50)

hub.speaker.beep(60)
hub.speaker.beep(72)

# This locks the door.
dial_motor.set_stop_action('coast')
dial_motor.run_to_position(0)
dial_motor.set_degrees_counted(0)
hub.light_matrix.show_image('NO')

# This unlocks the door when the Left Button on the Hub is pressed.
hub.left_button.wait_until_pressed()
hub.speaker.beep(72)
wait_until(dial_motor.get_degrees_counted, greater_than, 180)
hub.speaker.beep(60)
lock_motor.run_for_seconds(1)
hub.light_matrix.show_image('NO')
wait_for_seconds(2)
hub.light_matrix.show_image('YES')
wait_for_seconds(5)
```

LEGO® Education SPIKE™ Prime

# Keep it really safe!

<https://education.lego.com/en-au/lessons/prime-kickstart-a-business/keep-it-really-safe>



```

from spike import PrimeHub, App, Motor
from spike.control import Timer, wait_for_seconds

hub = PrimeHub()
app = App()
dial = Motor('B')
lock = Motor('C')
dial_cover = Motor('E')
timer = Timer()

dial.set_default_speed(75)
lock.set_default_speed(75)
dial_cover.set_default_speed(75)

def unlock():

while not hub.left_button.is_pressed() and dial.get_degrees_counted() < 180:
    hub.speaker.beep(60)
    dial_cover.run_for_degrees(15)
    wait_for_seconds(0.8)

    if timer.now() > 5:
        app.play_sound('Bonk')
        return

    hub.light_matrix.show_image('NO')
    wait_for_seconds(2)
    hub.light_matrix.show_image('YES')
    dial_cover.run_to_position(0)
    lock.run_for_seconds(1)
    app.play_sound('Wand')
    wait_for_seconds(5)

# This locks the door and starts the extra protection mechanism.

hub.speaker.beep(60)
hub.speaker.beep(72)
lock.run_for_seconds(-1)
dial.run_to_position(0)
dial_cover.run_to_position(0)
dial.set_degrees_counted(0)
dial.set_stop_action('coast')
hub.light_matrix.show_image('NO')
timer.reset()
unlock()
  
```

LEGO® Education SPIKE™ Prime

# Automate it!

<https://education.lego.com/en-au/lessons/prime-kickstart-a-business/automate-it>



```

from spike import App, Motor, ColorSensor
from spike.control import wait_for_seconds

app = App()
base_motor = Motor('A')
arm_motor = Motor('F')
color_sensor = ColorSensor('D')

base_motor.set_default_speed(25)
arm_motor.set_default_speed(25)

def check_color():
    # This will check the colour of the parcel.
    arm_motor.run_to_position(235)
    wait_for_seconds(4)
    if color_sensor.get_color() == 'violet':
        base_motor.run_to_position(0)
        arm_motor.run_to_position(25)
        app.play_sound('Triumph')
        arm_motor.run_to_position(240)
    else:
        app.play_sound('Oops')
        arm_motor.run_to_position(25)
        for x in range(3):
            arm_motor.run_for_degrees(-100, speed=100)
            arm_motor.run_for_degrees(100, speed=100)

# This powers-up the robot and makes it grab one parcel from each side.
base_motor.run_to_position(0)
arm_motor.run_to_position(240)

base_motor.run_to_position(90)
arm_motor.run_to_position(25)

check_color()

base_motor.run_to_position(0)
arm_motor.run_to_position(240)
base_motor.run_to_position(270)
arm_motor.run_to_position(25)

check_color()

base_motor.run_to_position(0)
arm_motor.run_to_position(240)
  
```

LEGO® Education SPIKE™ Prime

# Break Dance

<https://education.lego.com/en-au/lessons/prime-life-hacks/break-dance>



*The 'Break Dance' lesson has been created for our word blocks programming language. Currently, it's not possible to use our Python programming language and follow the same lesson flow.*

*However, here's a program that will make your model move!*

```
from spike import PrimeHub, Motor, ColorSensor
from spike.control import wait_for_seconds
```

```
hub = PrimeHub()
leg_motor = Motor('F')
arm_motor = Motor('B')
color_sensor = ColorSensor('D')
```

```
leg_motor.set_default_speed(-80)
arm_motor.set_default_speed(-80)
```

```
leg_motor.run_to_position(0)
arm_motor.run_to_position(0)
wait_for_seconds(1)
```

```
for x in range(10):
    hub.light_matrix.write("1")
    leg_motor.start()
    arm_motor.run_for_rotations(1)
    leg_motor.stop()
    wait_for_seconds(0.45)
```

```
    hub.light_matrix.write("2")
    leg_motor.start()
    arm_motor.run_for_rotations(1)
    leg_motor.stop()
    wait_for_seconds(0.45)
```

```
    hub.light_matrix.write("3")
    leg_motor.start()
    arm_motor.run_for_rotations(1)
    leg_motor.stop()
    wait_for_seconds(0.45)
```

LEGO® Education SPIKE™ Prime

# Repeat 5 Times

<https://education.lego.com/en-au/lessons/prime-life-hacks/repeat-5-times>



```

from spike import PrimeHub, App, Motor
from spike.control import wait_until, wait_for_seconds
from spike.operator import equal_to

hub = PrimeHub()
app = App()
left_leg_motor = Motor('B')
right_leg_motor = Motor('F')
left_leg_motor.set_default_speed(50)
right_leg_motor.set_default_speed(-50)
left_leg_motor.start()
right_leg_motor.start()

wait_until(hub.motion_sensor.get_orientation, equal_to, 'leftside')
right_leg_motor.stop()
left_leg_motor.stop()

app.play_sound('Sport Whistle 1')

for count in range(5):
    left_leg_motor.set_default_speed(-50)
    right_leg_motor.set_default_speed(50)
    left_leg_motor.start()
    right_leg_motor.start()
    wait_until(hub.motion_sensor.get_orientation, equal_to, 'front')
    right_leg_motor.stop()
    left_leg_motor.stop()
    app.start_sound('Male Jump 1')
    hub.light_matrix.write(count + 1)
    wait_for_seconds(0.5)
    left_leg_motor.set_default_speed(50)
    right_leg_motor.set_default_speed(-50)
    left_leg_motor.start()
    right_leg_motor.start()
    wait_until(hub.motion_sensor.get_orientation, equal_to, 'leftside')
    right_leg_motor.stop()
    left_leg_motor.stop()
    wait_for_seconds(0.5)

app.play_sound('Sport Whistle 2')
```

LEGO® Education SPIKE™ Prime

# Rain or shine?

<https://education.lego.com/en-au/lessons/prime-life-hacks/rain-or-shine>



The 'Rain or shine?' lesson has been created for our word blocks programming language. Currently, it's not possible to use the weather forecast functions with our Python programming language.

However, here's a program that will make the weathercaster move!

```
from spike import PrimeHub, App, Motor
from spike.control import wait_for_seconds
```

```
hub = PrimeHub()
app = App()
umbrella_motor = Motor("B")
glasses_motor = Motor("F")
YOUR_LOCAL_FORECAST = "sunny"
```

```
umbrella_motor.set_default_speed(100)
glasses_motor.set_default_speed(100)
```

```
# This moves the robot to the correct starting position.
umbrella_motor.run_to_position(45)
glasses_motor.run_to_position(300)
```

```
hub.speaker.beep(60, seconds=0.1)
hub.speaker.beep(72, seconds=0.1)
```

```
if YOUR_LOCAL_FORECAST == "sunny":
    # if sunny, then put on sunglasses
    glasses_motor.run_to_position(0)
    hub.light_matrix.show_image("SQUARE")
    wait_for_seconds(2)
    glasses_motor.run_to_position(300)
elif YOUR_LOCAL_FORECAST == "rainy":
    # or if rainy, lift umbrella
    umbrella_motor.run_to_position(340)
    app.play_sound("Rain")
    umbrella_motor.run_to_position(45)
else:
    # otherwise show 'X'
    hub.light_matrix.show_image("N0")
```

LEGO® Education SPIKE™ Prime

# Wind Speed

<https://education.lego.com/en-au/lessons/prime-life-hacks/wind-speed>



*The 'Wind Speed' lesson has been created for our word blocks programming language. Currently, it's not possible to use the weather forecast functions with our Python programming language.*

*However, here's a program that will make your model move!*

```
from spike import App, Motor
from spike.control import wait_for_seconds
```

```
tilt_motor = Motor("A")
WIND_SPEED_FORECAST = 8
```

```
tilt_motor.set_default_speed(20)
tilt_motor.run_to_position(5)
```

```
if WIND_SPEED_FORECAST < 5.5:
    tilt_motor.run_for_degrees(30)
    wait_for_seconds(1)
    tilt_motor.run_for_degrees(-30)
else:
    tilt_motor.run_for_degrees(60)
    wait_for_seconds(1)
    tilt_motor.run_for_degrees(-60)
```



LEGO® Education SPIKE™ Prime

# Veggie Love

<https://education.lego.com/en-au/lessons/prime-life-hacks/veggie-love>



*The 'Veggie Love' lesson has been created for our word blocks programming language. Currently, it's not possible to use the weather forecast functions with our Python programming language.*

*However, here's a program that will make your model move!*

```
from spike import PrimeHub, App, Motor

hub = PrimeHub()
app = App()
pointer_motor = Motor("E")
pointer_motor.set_default_speed(-50)

WEEK_RAIN = 50
ROTATION = 0

hub.left_button.wait_until_pressed()
pointer_motor.run_for_seconds(2)
pointer_motor.set_degrees_counted(0)
pointer_motor.set_default_speed(50)
pointer_motor.run_for_seconds(2)
hub.light_matrix.write(abs(pointer_motor.get_degrees_counted()))
rotation = int(week_rain * abs(pointer_motor.get_degrees_counted()) / 60)
print(ROTATION)

hub.right_button.wait_until_pressed()
pointer_motor.set_degrees_counted(0)
pointer_motor.set_default_speed(-50)
pointer_motor.run_for_degrees(ROTATION)
hub.light_matrix.write(WEEK_RAIN)
print(WEEK_RAIN)
```

LEGO® Education SPIKE™ Prime

# Brain Game

<https://education.lego.com/en-au/lessons/prime-life-hacks/brain-game>



```
from spike import PrimeHub, App, Motor, ColorSensor
from spike.control import wait_for_seconds
```

```
hub = PrimeHub()
app = App()
mouth_motor = Motor('A')
color_sensor = ColorSensor('B')
candy1 = []
candy2 = []
```

```
while True:
    hub.left_button.wait_until_pressed()

    # This makes the Game Master eat the candy stick
    # and then read and record its sequence of colours in
    # the list called `candy1`.
    hub.light_matrix.off()
    candy1.clear()
    mouth_motor.set_default_speed(-50)
    mouth_motor.run_for_seconds(2)
    app.play_sound('Bite')
    app.play_sound('Bite')
```

```
for x in range(5):
    candy1.append(color_sensor.get_color())
    wait_for_seconds(1)
    mouth_motor.set_default_speed(50)
    mouth_motor.run_for_degrees(95)
    wait_for_seconds(1)
```

```
hub.right_button.wait_until_pressed()
```

```
# This makes the Game Master eat the candy stick
# and then read and record its sequence of colours in
# the list called `candy2`.
```

```
candy2.clear()
mouth_motor.set_default_speed(-50)
mouth_motor.run_for_seconds(2)
app.play_sound('Bite')
app.play_sound('Bite')
```

```
for x in range(5):
    candy2.append(color_sensor.get_color())
```

```
wait_for_seconds(1)
mouth_motor.set_default_speed(50)
mouth_motor.run_for_degrees(95)
wait_for_seconds(1)
```

```
# Light the position of the red bricks if they're
# in the same position in both of the candy sticks.
```

```
candy1_red_index = candy1.index('red')
candy2_red_index = candy2.index('red')
for x in range(5):
    print(candy1[x])
```

```
if candy1_red_index == candy2_red_index:
    for x in range(5):
        hub.light_matrix.set_pixel(x, candy1_red_
index)
    app.play_sound('Win')
else:
    app.play_sound('Oops')
```

LEGO® Education SPIKE™ Prime

# The Coach

<https://education.lego.com/en-au/lessons/prime-life-hacks/the-coach>



```
from spike import Motor
from spike.control import Timer, wait_for_seconds


left_leg_motor = Motor('F')
right_leg_motor = Motor('B')
timer = Timer()
left_leg_motor.run_to_position(0)
right_leg_motor.run_to_position(0)

while True:
    while timer.now() < 5:
        left_leg_motor.start_at_power(-80)
        right_leg_motor.start_at_power(80)
        wait_for_seconds(0.1)
        left_leg_motor.start_at_power(80)
        right_leg_motor.start_at_power(-80)
        wait_for_seconds(0.1)
```

LEGO® Education SPIKE™ Prime

# Training Camp 1

<https://education.lego.com/en-au/lessons/prime-competition-ready/training-camp-1-driving-around>



```
from spike import MotorPair
from spike.control import wait_for_seconds

drive_motors = MotorPair('C', 'D')

drive_motors.set_default_speed(30)
drive_motors.set_motor_rotation(17.5, 'cm')

wait_for_seconds(1)

for x in range(4):
    drive_motors.move(10, 'cm')
    wait_for_seconds(0.5)
    drive_motors.move(182, 'degrees', steering=100)
```

LEGO® Education SPIKE™ Prime

# Training Camp 2

<https://education.lego.com/en-au/lessons/prime-competition-ready/training-camp-2-playing-with-objects>



```
from spike import PrimeHub, MotorPair, Motor, DistanceSensor
from spike.control import wait_for_seconds
```

```
hub = PrimeHub()
drive_motors = MotorPair('C', 'D')
grabber_motor = Motor('E')
distance_sensor = DistanceSensor('F')
```

```
drive_motors.set_default_speed(30)
drive_motors.set_motor_rotation(17.5, 'cm')
grabber_motor.set_default_speed(-20)
grabber_motor.run_for_seconds(1)
grabber_motor.set_default_speed(20)
grabber_motor.run_for_degrees(75)
```

```
hub.speaker.beep(60)
hub.speaker.beep(72)
```

```
hub.right_button.wait_until_pressed()
```

```
wait_for_seconds(1)
```

```
drive_motors.start()
distance_sensor.wait_for_distance_closer_than(10, 'cm')
drive_motors.stop()
```

```
grabber_motor.run_for_degrees(-75)
```

```
hub.speaker.beep(60)
hub.speaker.beep(72)
```

```
drive_motors.move(-20, 'cm')
```

LEGO® Education SPIKE™ Prime

# Training Camp 3

<https://education.lego.com/en-au/lessons/prime-competition-ready/training-camp-3-react-to-lines>



```
from spike import PrimeHub, MotorPair, ColorSensor
from spike.control import wait_for_seconds

hub = PrimeHub()
drive_motors = MotorPair('C', 'D')
color_sensor = ColorSensor('B')

drive_motors.set_default_speed(50)
POWER = 50

while True:
    if hub.left_button.was_pressed():
        drive_motors.start()
        color_sensor.wait_until_color('black')
        drive_motors.stop()

    if hub.right_button.was_pressed():
        while True:
            drive_motors.start_tank_at_power(0, POWER)
            color_sensor.wait_until_color('black')
            drive_motors.start_tank_at_power(POWER, 0)
            color_sensor.wait_until_color('white')
```

LEGO® Education SPIKE™ Prime

# Assembling an Advanced Driving Base

<https://education.lego.com/en-au/lessons/prime-competition-ready/assembling-an-advanced-driving-base>



```

from spike import PrimeHub, MotorPair
from spike.control import wait_for_seconds, wait_until
from spike.operator import greater_than, less_than

hub = PrimeHub()
drive_motors = MotorPair('A', 'E')

drive_motors.set_default_speed(50)
drive_motors.set_motor_rotation(27.63, 'cm')

wait_for_seconds(1)

drive_motors.move(20, 'cm')
drive_motors.move(-20, 'cm')

drive_motors.move(20, 'cm', steering=-40)

hub.motion_sensor.reset_yaw_angle()

drive_motors.start(steering=100)
wait_until(hub.motion_sensor.get_yaw_angle, greater_than, 90)
drive_motors.stop()

drive_motors.start(steering=-100)
wait_until(hub.motion_sensor.get_yaw_angle, less_than, 0)
drive_motors.stop()

```

LEGO® Education SPIKE™ Prime

# My Code, Our Program

<https://education.lego.com/en-au/lessons/prime-competition-ready/my-code-our-program>



```
from spike import PrimeHub, MotorPair
from spike.control import wait_for_seconds

hub = PrimeHub()
drive_motors = MotorPair('A', 'E')

drive_motors.set_default_speed(50)
drive_motors.set_motor_rotation(27.63, 'cm')

def square():
    for x in range(4):
        drive_motors.move(1.5, 'rotations')
        drive_motors.move(0.365, 'rotations', steering=100)

def triangle():
    for x in range(3):
        drive_motors.move(1.5, 'rotations')
        drive_motors.move(0.486, 'rotations', steering=100)

def circle():
    drive_motors.move(3, 'rotations', steering=60)

wait_for_seconds(1)

square()
hub.speaker.beep()

triangle()
hub.speaker.beep()

circle()
hub.speaker.beep()
```



LEGO® Education SPIKE™ Prime

# Time for an Upgrade

<https://education.lego.com/en-au/lessons/prime-competition-ready/time-for-an-upgrade>



```
from spike import PrimeHub, Motor

hub = PrimeHub()
lift_arm_motor = Motor('D')
dozer_blade_motor = Motor('C')

lift_arm_motor.set_default_speed(-100)
lift_arm_motor.run_for_seconds(1)
dozer_blade_motor.set_default_speed(-100)
dozer_blade_motor.run_for_seconds(1)

lift_arm_motor.set_default_speed(100)
lift_arm_motor.run_for_degrees(70)
dozer_blade_motor.set_default_speed(100)
dozer_blade_motor.run_for_degrees(70)
hub.beep()

lift_arm_motor.run_for_degrees(180)
lift_arm_motor.run_for_degrees(-180)
dozer_blade_motor.run_for_degrees(180)
dozer_blade_motor.run_for_degrees(-180)
hub.beep()

lift_arm_motor.run_for_degrees(180, speed=15)
lift_arm_motor.run_for_degrees(-180, speed=15)
dozer_blade_motor.run_for_degrees(180, speed=15)
dozer_blade_motor.run_for_degrees(-180, speed=15)
```

# LEGO® Education SPIKE™ Prime

## Mission Ready

<https://education.lego.com/en-au/lessons/prime-competition-ready/mission-ready>



```

from spike import Motor, MotorPair
from spike.control import wait_for_seconds

dozer_blade_motor = Motor('C')
lift_arm_motor = Motor('D')
drive_motors = MotorPair('A', 'E')

drive_motors.set_default_speed(25)
drive_motors.set_motor_rotation(27.63, 'cm')

dozer_blade_motor.start(-100)
lift_arm_motor.start(-100)
wait_for_seconds(1)
dozer_blade_motor.stop()
lift_arm_motor.stop()

dozer_blade_motor.run_for_degrees(70, speed=100)
lift_arm_motor.run_for_degrees(20, speed=100)

drive_motors.move(-2, 'cm')
drive_motors.move(10.5, 'cm')

dozer_blade_motor.run_for_degrees(180, speed=40)

drive_motors.move(-6, 'cm')

dozer_blade_motor.run_for_degrees(-180, speed=60)
dozer_blade_motor.run_for_degrees(180, speed=60)

drive_motors.move(7, 'cm')

dozer_blade_motor.run_for_degrees(-180, speed=60)

drive_motors.move(0.405, 'rotations', steering=-100)
drive_motors.move(60.5, 'cm', steering=-30)
drive_motors.move(34, 'cm')
drive_motors.move(32, 'cm', steering=-50)
drive_motors.move(17.5, 'cm')
drive_motors.move(0.415, 'rotations', steering=-100)
drive_motors.move(32, 'cm')

```

LEGO® Education SPIKE™ Prime

# Pass the Brick

<https://education.lego.com/en-au/lessons/prime-extra-resources/pass-the-brick>



```
from spike import Motor, PrimeHub
```

```
hub = PrimeHub()
grabber_motor = Motor('F')
```

```
# This will make the hand open once to start.
grabber_motor.run_for_seconds(1)
```

```
while True:
```

```
    # This will make the hand close while you're pressing the Left Button on the Hub.
    hub.left_button.wait_until_pressed()
    grabber_motor.set_stall_detection(False)
    grabber_motor.start(-75)
```

```
    # This will make the hand open when you release the Left Button on the Hub.
```

```
    hub.left_button.wait_until_released()
    grabber_motor.set_stall_detection(True)
    grabber_motor.start(75)
```

LEGO® Education SPIKE™ Prime

# Ideas, the LEGO way!

<https://education.lego.com/en-au/lessons/prime-extra-resources/ideas-the-lego-way>



```
from spike import PrimeHub
from spike.control import wait_for_seconds
```

```
hub = PrimeHub()
```

```
while True:
```


```
    if hub.left_button.was_pressed():
        hub.light_matrix.write('3')
        wait_for_seconds(1)
        hub.light_matrix.write('2')
        wait_for_seconds(1)
        hub.light_matrix.write('1')
        wait_for_seconds(1)
        hub.light_matrix.off()
        hub.speaker.beep(60, 0.5)
        hub.speaker.beep(72, 0.5)
```

```
    if hub.right_button.was_pressed():
        hub.light_matrix.write('5')
        wait_for_seconds(60)
        hub.light_matrix.write('4')
        wait_for_seconds(60)
        hub.light_matrix.write('3')
        wait_for_seconds(60)
        hub.light_matrix.write('2')
        wait_for_seconds(60)
        hub.light_matrix.write('1')
        wait_for_seconds(60)
        hub.light_matrix.off()
        hub.speaker.beep(60, 0.5)
        hub.speaker.beep(72, 0.5)
```

LEGO® Education SPIKE™ Prime

# What is this?

<https://education.lego.com/en-au/lessons/prime-extra-resources/what-is-this>



```
from spike import Motor
```

```
motor = Motor('F')
```


```
motor.set_stall_detection(False)
```

```
for x in range(5):  
    motor.set_default_speed(50)  
    motor.run_for_seconds(2)  
    motor.set_default_speed(-50)  
    motor.run_for_seconds(2)
```

LEGO® Education SPIKE™ Prime

# Going the Distance

<https://education.lego.com/en-au/lessons/prime-extra-resources/going-the-distance>



```
from spike import MotorPair

drive_motors = MotorPair('B', 'A')

drive_motors.set_default_speed(50)

drive_motors.move(10, 'rotations')
drive_motors.stop()
```

LEGO® Education SPIKE™ Prime

# Goal!

<https://education.lego.com/en-au/lessons/prime-extra-resources/goal>



```
from spike import PrimeHub, Motor
from spike.control import wait_for_seconds
```

```
hub = PrimeHub()
kicker = Motor('A')
kicker.set_default_speed(100)
```

```
while True:
    kicker.run_to_position(0)

    hub.left_button.wait_until_pressed()
    kicker.run_for_rotations(1)
    wait_for_seconds(1)
```